

# What Services and Vaccines Does My Dog Need?

					Packages:		
	Description	Recommended For	How Often: Adults	How Often: Puppies	Rabies Only	Basic Family Dog	Social / Grooming Dog
<b>Office Visit \$15</b>	Required for all pets receiving preventive care. We will make you aware of concerns that may need a full-service veterinarian. This fee can be waived with proof of government assistance.	All dogs	Annually	Every 3-4 weeks as they grow and before their spay/neuter surgery.	✓	✓	✓
<b>Rabies Vaccine One-Year: \$15 Three-Year: \$30</b>	Required by law for all pets. It protects your dog against rabies - a disease typically transmitted through saliva or bite wounds from other animals that is deadly to both animals and humans.	All dogs	+ First time: 1 Year + Can last up to 3 years with proof of previous vaccine	Give between 12-16 weeks of age; lasts for 1 year.	✓	✓	✓
<b>DAPP-L Vaccine (Distemper, Adenovirus, Parainfluenza, Parvovirus, Leptospirosis) \$15</b>	Protects against some of the most common (and deadly) diseases. These diseases can last for long periods of time in the environment, so even if your dog won't be traveling much outside of your home or yard it's important to have.	All dogs	+ First time: Booster within 3-4 weeks + Annually	Start at 8 weeks and booster every 3-4 weeks as recommended by your vet.	✗	✓	✓
<b>Bordetella Vaccine \$15</b>	Helps protect your pet against "kennel cough"- a contagious virus that can cause your pet to get a severe upper respiratory infection. Your dog can be infected through nose-to-nose contact, barking, sneezing, or coughing near other dogs.	Dogs who visit parks, greet other dogs on walks, stay at a boarding facility, or see a groomer	+ Good: Annually + Best: Every 6 months	Give once between 10-12 weeks of age. Lasts 6 months to 1 year depending on exposure to other dogs.	✗	✓	✓
<b>CIV Vaccine (Canine Influenza Virus / "Flu") \$25</b>	Protects against CIV - a highly contagious disease which causes 80% of infected pets to experience upper respiratory symptoms or infection. The 20% who don't have symptoms can still spread the virus. The virus is transmitted through nose-to-nose contact, barking, sneezing, and coughing.	Dogs who visit parks, greet other dogs on walks, stay at a boarding facility, see a groomer, or travel	+ First time: Booster within 3-4 weeks + Annually	Start between 10-12 weeks, booster in 2-3 weeks. Lasts for 1 year.	✗	✗	✓
<b>Fecal Test \$22</b>	Tests for parasite eggs in your pet's stool. Assesses if additional dewormer is needed and if the worms can be transmitted to people in your home.	All dogs. Dogs who go to dog parks or visit boarding/grooming facilities are at a higher risk.	Annually	Start at 10-12 weeks, test again after treatment if parasites are found.	✗	✗	✓
<b>Heartworm Test \$20</b>	Test for adult heartworms. Heartworms are transmitted by mosquitos, which we have a lot of in Tennessee. Testing is recommended even if your pet is on prevention. Heartworm disease is fatal if untreated.	All dogs	Annually (even if your dog is on regular prevention)	Not needed until they are 1 year old. Puppies should start monthly heartworm prevention at 8 weeks of age.	✗	✗	✓
<b>Dewormer \$5 - 10</b>	For roundworms and hookworms. Especially recommended for dogs who go outdoors and may hunt wildlife, which expose your dog to a greater risk of parasite infection. These worms can also be transmitted to humans.	All dogs	Annually	Start at 6-8 weeks, further treatment as recommended by a veterinarian.	✗	✗	✓